

WINDEPIN-5
Amlodipine Besylate Tablets USP 5 mg
 Each uncoated tablet contains :
 Amlodipine Besylate USP
 Eq. to Amlodipine
 Excipients

5 mg
 q.s.




14 x 2 Tablets

Indication: Hypertension and angina.

WINDEPIN-10
Amlodipine Besylate Tablets USP 10 mg
 Each uncoated tablet contains :
 Amlodipine Besylate USP
 Eq. to Amlodipine
 Excipients

10 mg
 q.s.



14 x 2 Tablets

Indication: Hypertension and angina.

CETA-IBU
Ibuprofen and Paracetamol Suspension
 Each 5 ml contains:
 Ibuprofen
 Paracetamol
 Flavored base
 Colour: Sunset Yellow FCF

BP 100 mg
 BP 125 mg
 q.s.



3 x 10 Tablets

Indication: Pain, Headache, Fever.

FUMET
Metronidazole & Furazolidone Suspension
 Each 5 ml contains:
 Metronidazole Benzoate
 Eq. to Metronidazole
 Furazolidone
 Flavored syrup base
 Colour: Tartrazine

BP
 BP 100 mg
 BP 30 mg
 q.s.



60 ml

Indication: Infectious diarrhea, bacillary dysentery

ZIPFERON CAPSULE
Capsules of Iron, Folic Acid, Vitamic C, Vitamin B12 and Zinc
 Each hard gelatin capsule contains :
 Ferrous Fumarate
 (Eq. to Elemental Iron 100 mg)
 Folic Acid
 Cyanocobalamin (Vitamin B12)
 Ascorbic Acid (Vitamin C)
 Zinc Sulfate Heptahydrate
 (Eq. to Elemental Zinc 1.137 mg)
 Excipients
 Capsules shell contains approved colours.
Indication: Anaemia


USP 305 mg
 USP 1.5 mg
 USP 5 mcg
 USP 75 mg
 USP 5 mg
 q.s.



30 Capsules

ZIPFERON IRON SYRUP
Iron Polymaltose Syrup 50mg/5ml
 Each 5 ml contains :
 Iron (III) Hydroxide Polymaltose Complex
 Eq. to Elemental Iron
 Flavoured Syrup Base
 Colour: Caramel

50 mg
 q.s.




200 ml

Indication: Iron Supplement

ZIPFERON SYRUP
FAC with multivitamin Syrup
 Each 5 ml contains :
 Ferric Ammonium Citrate
 Eq. to Elemental Iron
 L-Lysine Hydrochloride
 Vitamin B1
 Vitamin B2
 Vitamin B6
 Vitamin B3
 Vitamin B12
 Folic Acid
 Vitamin C
 D-Panthenol
 Flavoured Syrupy base
 Approved colours used.

USP 160 mg
 32 mg
 USP 25 mg
 BP 2.0 mg
 BP 1.5 mg
 BP 0.75 mg
 BP 25 mg
 BP 1.0 mcg
 BP 0.3 mg
 BP 25 mg
 BP 2.5 mg
 q.s.



Indication: Iron and Vitamins Supplements

200 ml

ZIPFERON FORTE SYRUP
Iron with Vitamin B12 and Folic Acid Syrup
 Each 5ml contains:
 Ferric ammonium citrate
 (Eq. to elemental iron 41 mg)
 Vitamin B12
 Folic acid
 Flavoured syrup base
 Colour: Caramel

USP 200 mg
 BP 50 mcg
 BP 1.5 mg
 q.s.



200 ml

Indication: Anaemia

VAGINAX CREAM
Clotrimazole Vaginal cream U.S.P. 2% w/w
 Composition:
 Clotrimazole
 Cream base

USP 2% w/w
 q.s.



30 gm with applicator

Indication: vaginal yeast infections.

VAGINAX-100
Clotrimazole Vaginal Tablets U.S.P.
 Each uncoated vaginal tablet contains:
 Clotrimazole USP

100 mg



1 x 6 Tablet with applicator

Indication: vaginal yeast infections.

TACIZOL

Albendazole Tablets 400 mg

Each uncoated chewable tablet contains:

Albendazole USP 400 mg
Excipients qs
Colour: Sunset Yellow
Flavour: Orange



1 x 1 Tablets

Indication: treatment of roundworm, whipworm, pinworm/threadworm, hookworm, tapeworm and Strongyloides stercoralis.

TACIZOL SUSPENSION

Albendazole Oral Suspension USP

Each 5 ml contains:

Albendazole USP 100 mg
Flavoured base q.s.



20 ml

Indication: treatment of roundworm, whipworm, pinworm/threadworm, hookworm, tapeworm and Strongyloides stercoralis.

STAGYL

Secnidazole Tablets (1000 mg)

Each film coated tablet contains :

Secnidazole 1000 mg
Excipients q.s.
Colour: Titanium Dioxide BP



2 Tablets

Indication: for giardiasis and amoebiasis.

FASIPRO

Tinidazole and Ciprofloxacin Tablets

Each film coated tablet contains:

Tinidazole BP 600 mg
Ciprofloxacin hydrochloride BP 500 mg
Eq. to Ciprofloxacin q.s.
Excipients q.s.
Colour: Quinoline Yellow



1 x 10 Tablets

Indication: Broad spectrum antibiotic, Amoebicide and Trichomoniasis treatment.

GEBEDOL

Paracetamol & Diclofenac Sodium Tablets

Each uncoated tablet contains:

Paracetamol BP 500 mg
Diclofenac Sodium BP 50 mg
Excipients q.s.



6 x 1 x 10 Tablets

Indication: Effective relief from pain and fever.

GEBEDOL FORTE

Diclofenac sodium, Acetaminophen & Chlorzoxazone Tablets

Each uncoated tablet contains:

Diclofenac Sodium USP 50 mg
Acetaminophen USP 500 mg
Chlorzoxazone USP 250 mg
Excipients q.s.
Colour: Erythrosine



6 x 10 Tablets

Indication: Fast & effective relief from pain and inflammation.

AMIDERM CREAM

Each gram contains:

Betamethasone valerate BP 0.61 mg
Gentamicin Sulfate BP 1 mg
Tolnaftate BP 10 mg
Clioquinol BP 10 mg
Cream base q.s.



15 gm / 30 gm

Indication: Bacterial and fungal infections of mixed type, Skin infection

LEORUB

Linseed oil

Diclofenac Diethylamine

Eq. to Diclofenac sodium

Menthol

Methyl Salicylate

Benzyl alcohol (As preservative)

Gel base

BP 3.0% w/w

BP 1.16% w/w

BP 1.0 % w/w

BP 5.0 % w/w

BP 10 % w/w

BP 1.0 % w/w

q.s.



15 gm / 30 gm

Indication: Back Pain, Myalgie, osteoarthritis.

AZIGLOBE-250

Azithromycin Tablets USP 250 mg

Each film coated tablet contains :

Azithromycin Dihydrate USP 250 mg
Eq. to Anhydrous Azithromycin q.s.
Excipients q.s.
Colour: Tartrazine



6 Tablets

Indication: Acute bacterial sinusitis, otitis media, Pharyngitis, tonsillitis, chronic bronchitis, pneumonia.

AZIGLOBE-500

Azithromycin Tablets USP 500 mg

Each film coated tablet contains :

Azithromycin Dihydrate USP 500 mg
Eq. to Anhydrous Azithromycin q.s.
Excipients q.s.
Colour: Tartrazine



3 Tablets

Indication: Acute bacterial sinusitis, otitis media, Pharyngitis, tonsillitis, chronic bronchitis, pneumonia.



AZIGLOBE

Azithromycin for Oral Suspension USP 200 mg/5 ml

Each 5 ml of reconstituted suspension contains :

Azithromycin Dihydrate	USP	200 mg
Eq. to Anhydrous Azithromycin		200 mg
Excipients		q.s.
Colour: Tartrazine		
In Flavor Base		



15 ml

Indication: Acute bacterial sinusitis, otitis media, Pharyngitis, tonsillitis, chronic bronchitis, pneumonia.

OPIZOLE

Omeprazole Delayed Release Capsules USP 20 mg

Each hard gelatin capsule contains :

Omeprazole	USP	20 mg
(As enteric coated granules)		
Excipients		q.s.

Approved colours used in hard gelatin capsule shells.



10 x 10 Capsules

Indication: Gastric and duodenal ulcers.

OXYNIC 625

Amoxicillin and potassium clavulanate tablets BP

Each film coated tablet contains:

Amoxicillin Trihydrate	BP	500 mg
Eq. to Amoxicillin		500 mg
Diluted Potassium Clavulanate	BP	125 mg
Eq. to clavulanic acid		125 mg



2 x 7 Tablets


Indication: Upper Respiratory Tract Infections (URTI), Lower Respiratory Tract Infection, genital & Urinary Tract Infections, infections of the skin & soft tissues.

OXYNIC 1000

Amoxicillin and potassium clavulanate tablets BP

Each film coated tablet contains:

Amoxicillin Trihydrate	BP	875 mg
Eq. to Amoxicillin		875 mg
Diluted Potassium Clavulanate	BP	125 mg
Eq. to clavulanic acid		125 mg



2 x 7 Tablets

Indication: Upper Respiratory Tract Infections (URTI), Lower Respiratory Tract Infection, genital & Urinary Tract Infections, infections of the skin & soft tissues.

OXYNIC SUSPENSION 312.5mg/5ml

Amoxicillin and clavulanate potassium for oral suspension USP

When reconstituted as directed, each 5 ml contains:

Amoxicillin Trihydrate	BP	250 mg
Eq. to Amoxicillin		250 mg
Diluted Potassium Clavulanate	BP	62.5 mg
Eq. to Clavulanic Acid		62.5 mg



70 ml

Indication: URTI, Lower RTI, genital & UTI, infections of the skin & soft tissues.

OXYNIC SUSPENSION 457mg/5ml

Amoxicillin and clavulanate potassium for oral suspension USP

When reconstituted as directed, each 5 ml contains:

Amoxicillin Trihydrate	BP	400 mg
Eq. to Amoxicillin		400 mg
Diluted Potassium Clavulanate	BP	57 mg
Eq. to Clavulanic Acid		57 mg



70 ml


Indication: URTI, Lower RTI, genital & UTI, infections of the skin & soft tissues.

OXYNIC 1.2

Amoxicillin and potassium clavulanate injection BP

Each vial contains:

Amoxicillin Sodium (sterile)	BP	1000 mg
Eq. to Amoxicillin		1000 mg
Potassium Clavulanic	BP	200 mg
Eq. to Clavulanic Acid		200 mg



1 Combi Pack

Indication: URTI, Lower RTI, genital & UTI, infections of the skin & soft tissues.

OXYNIC 600 INJ

Amoxicillin and potassium clavulanate injection BP

Each vial contains:

Amoxicillin Sodium (sterile)	BP	500 mg
Eq. to Amoxicillin		500 mg
Potassium Clavulante	BP	100 mg
Eq. to Clavulanic Acid		100 mg



1 Combi Pack

Indication: URTI, Lower RTI, genital & UTI, infections of the skin & soft tissues.

GEBEXIME 250

Cefuroxime Axetil Tablets USP 250 mg

Each film coated tablet contains:

Cefuroxime Axetil (amorphous)	USP	250 mg
Eq. to Cefuroxime		250 mg
Excipients		q.s.
Approved colour used.		



10 Tablets

Indication: Bacterial infections

GEBEXIME 500

Cefuroxime Axetil Tablets USP 500 mg

Each film coated tablet contains:

Cefuroxime Axetil (amorphous)	USP	500 mg
Eq. to Cefuroxime		500 mg
Excipients		q.s.
Approved colour used.		



10 Tablets


Indication: bacterial infections

GEBEXIME SUSPENSION

Cefuroxime Axetil for oral suspension USP 125mg/5ml

Each 5ml of reconstituted suspension contains:

Cefuroxime Axetil	USP	125 mg
Eq. to Cefuroxime		125 mg
Excipients		q.s.



70 ml

GEBEXIME

Cefuroxime for Injection USP 750 mg

This package contain:

- 1) 1 vial contain

Sterile Cefuroxime Sodium	USP	750 mg
Eq. to Cefuroxime		750 mg
- 2) Sterile water for injection

	USP	10 ml
--	-----	-------



1 Combi Pack

Indication: Bacterial infections

Indication: Bacterial infections

IDICEF 100

Cefixime Dispersible Tablets 100 mg

Each uncoated dispersible tablet contains :

Cefixime (as Trihydrate)	USP	100 mg
Eq. to Anhydrous Cefixime		100 mg
Excipients		q.s.

Approved colours used.



1 x 10 Tablets

IDICEF 200

Cefixime Dispersible Tablets 200 mg

Each uncoated dispersible tablet contains :

Cefixime (as Trihydrate)	USP	200 mg
Eq. to Anhydrous Cefixime		200 mg
Excipients		q.s.

Approved colours used.



1 x 10 Tablets

Indication: Upper Respiratory Tract Infections (URTI), Lower Respiratory Tract Infection, Urinary Tract Infections.

Indication: Upper Respiratory Tract Infections (URTI), Lower Respiratory Tract Infection, Urinary Tract Infections.

GEBETAX

Cefotaxime for Injection USP 500 mg Composition :

This pack contains

- 1) 1 vial containing :

Sterile Cefotaxime Sodium USP	USP	500mg
equivalent to Cefotaxime		500mg
- 2) Sterile Water for Injection USP

	USP	5ml
--	-----	-----



1 Combi Pack

GEBETAX

Cefotaxime for Injection USP 1000 mg

Composition :

- 1) 1 vial contains :

Sterile Cefotaxime Sodium	USP	1000 mg
equivalent to Cefotaxime		1000 mg
- 2) Sterile Water for Injection

	USP	10 ml
--	-----	-------



1 Combi Pack

Indication: Antibiotic

Indication: Antibiotic

GEBECEF 500MG INJ

Ceftriaxone for Injection USP 500 mg

Each pack contains:

- | | | |
|------------------------------|-----|--------|
| Sterile Ceftriaxone Sodium | USP | 500 mg |
| Eq. to Anhydrous Ceftriaxone | | 500 mg |




1 Combi Pack

GEBECEF

Ceftriaxone for Injection USP 1 g

Each pack contains:

- | | | |
|------------------------------|-----|-----|
| Sterile Ceftriaxone Sodium | USP | 1 g |
| Eq. to Anhydrous Ceftriaxone | | 1 g |



1 Combi Pack

Indication: Bacterial infections

Indication: Bacterial Meningitis, pneumonia, Intra-abdominal infections, Gonorrhoea, Syphilis

CETDRO

Cetirizine Hydrochloride Tablets 10 mg

Each film coated tablet contains :

Cetirizine Hydrochloride	BP	10 mg
Excipients		q.s.



10 x 10 Tablets

DIAMET-500

Metformin Tablets BP 500 mg

Each uncoated tablet contains :

Metformin Hydrochloride	BP	500 mg
Excipients		q.s.

Colour: Titanium Dioxide



10 x 10 Tablets

Indication: Allergy

Indication: Diabetes mellitus.

GEBECIP-500
Ciprofloxacin Tablets USP 500 mg
 Each film coated tablet contains:
 Ciprofloxacin hydrochloride
 Eq. to ciprofloxacin
 Excipients
 Colour: Titanium Dioxide BP

USP 500 mg
 q.s.



1 x 10 Tablets

Indication: Bacterial infections

GEBECIP-750
Ciprofloxacin Tablets USP 750 mg
 Each film coated tablet contains:
 Ciprofloxacin hydrochloride
 Eq. to ciprofloxacin
 Excipients
 Colour: Titanium Dioxide BP

USP 750 mg
 q.s.



1 x 10 Tablets

Indication: Bacterial infections

GEBECIP
Ciprofloxacin Intravenous Infusion BP 0.2% w/v
 Each 100 ml contains :
 Ciprofloxacin
 Sodium Chloride
 Water for Injection
 No preservatives added.

BP 200 mg
 BP 900 mg
 BP q.s.



100 ml

Indication: Bacterial infections

GEBEDOL XTRA
Ibuprofen, Paracetamol and Caffeine Tablets
 Each uncoated tablet contains :
 Ibuprofen
 Paracetamol
 Caffeine (Anhydrous)
 Excipients
 Colour: Erythrosine

BP 400 mg
 BP 500 mg
 BP 30 mg
 q.s.



10 Tablets

Indication: Pain, Fever, Cold and flu

GEBEFLUC-150
Fluconazole capsules 150 mg
 Each capsule contains:
 Fluconazole
 Excipients
 Approved colours used in hard gelatin capsule shells.

USP 150 mg
 q.s.



1 x 4 Capsules

Indication: Antifungal

GEBEFLUC-200
Fluconazole capsules 200 mg
 Each hard gelatin capsule contains:
 Fluconazole
 Excipients
 Approved colours used in hard gelatin capsule shells.

USP 200 mg
 q.s.



1 x 4 Capsules

Indication: Antifungal

GEBEDICLO GEL
Diclofenac Gel BP 1% w/w
 Diclofenac Diethylamine
 Eq. to Diclofenac Sodium
 Gel Base

BP 1.16% w/w
 BP 1% w/w
 q.s.



30 gm

Indication: Joint pain

CLOSOL
Clobetasol Cream BP 0.05% w/w
 Clobetasol Propionate
 Cream Base

BP 0.05% w/w
 q.s.



30 gm

Indication: Inflammation.

CARTEF-DS 80/480
 Each uncoated tablet contains:
 Artemether
 Lumefantrine
 Excipients

80 mg
 480 mg
 qs



6 Tablets

Indication: Antimalarial

CARTEF 20/120
 Each uncoated tablet contains:
 Artemether
 Lumefantrine
 Excipients

20 mg
 120 mg
 qs



24 Tablets

Indication: Antimalarial

GEBEDICLO 50

Gastro-resistant Diclofenac Tablets BP 50 mg

Each enteric coated tablet contains :

Diclofenac Sodium	BP	50 mg
Excipients		q.s.
Colour: Sunset Yellow FCF		



Indication: Nonsteroidal anti-inflammatory

1 x 10 Tablets

GEBEDICLO 100

Gastro-resistant Diclofenac Tablets BP 100 mg

Each enteric coated tablet contains :

Diclofenac Sodium	BP	100 mg
Excipients		q.s.
Colour: Sunset Yellow FCF		



Indication: Nonsteroidal anti-inflammatory

1 x 10 Tablets

GEBEDICLO

Diclofenac Sodium Injection 75 mg/3 ml

Each ml contains :

Diclofenac Sodium	BP	25 mg
Benzyl Alcohol (As Preservative)	BP	4% v/v
Water for Injection	BP	q.s.



Indication: nonsteroidal anti-inflammatory


10 x 3 ml

IDICEF SUSPENSION

Cefixime for oral suspension USP 100mg/5ml

Each 5 ml of reconstituted suspension contains:

Cefixime (As Trihydrate)	USP	100 mg
Eq. to Anhydrous Cefixime		100 mg
Excipients		q.s.
Colour: Quinoline Yellow		



Indication: Bacterial infections

30 ml

EUROVIT CAPSULE

Multivitamins Capsules with Minerals and Iron

Each hard gelatin capsule contains:	Ascorbic Acid (Vitamin C) BP	50 mg	
Vitamin A (as Acetate) BP	2500 I.U.	Vitamin E BP	10 I.U.
Colecalciferol (Vitamin D3) BP	200 I.U.	Dried Ferrous Sulfate BP	30 mg
Thiamine Hydrochloride (Vitamin B1) BP	2 mg	Copper Sulfate Pentahydrate BP	1 mg
Riboflavin (Vitamin B2) BP	3 mg	Zinc Sulfate Heptahydrate BP	2 mg
Pyridoxine Hydrochloride (Vitamin B6) BP	1.5 mg	Potassium Iodide BP	100 mcg
Nicotinamide BP	25 mg	Light Magnesium Oxide BP	10 mg
Calcium Pantothenate BP	5 mg	Dried Magnesium Sulfate BP	1 mg
Folic Acid BP	300 mcg	Excipients	q.s.
Cyanocobalamin (Vitamin B12)	1 mcg	Capsule shell contains approved colours.	



Indication: Vitamins and mineral supplement

30 Capsules

EUROVIT

Multivitamin Drops

Each 0.6 ml contains :

Vitamin A (as Palmitate)	BP	1500 I.U.
Cholecalciferol (Vitamin D3)	BP	400 I.U.
Thiamine Hydrochloride (Vitamin B1)	BP	0.5 mg
Riboflavin (Vitamin B2)	BP	0.6 mg
Pyridoxine Hydrochloride (Vitamin B6)	BP	0.6 mg
Ascorbic Acid (Vitamin C)	BP	30 mg
Nicotinamide (Vitamin B3)	BP	6.0 mg
Flavoured Syrupy Base		q.s.



Indication: Vitamins and mineral supplement

25 ml

SUMO ACTIVE TABLETS

Cyproheptadine Tablets BP 4 mg

Each uncoated tablet contains:

Cyproheptadine HCl BP	4 mg
Eq. to Anhydrous Cyproheptadine HCl	4 mg
Excipients	q.s.



Indication: Allergy

2 x 10 Tablets

SUMO ACTIVE SUSPENSION

Cyproheptadine with multivitamin & minerals syrup

Each 5 ml contains

Cyproheptadine Hydrochloride BP	
Eq. to Cyproheptadine Hydrochloride Anhydrous	2 mg
Lysine mono hydrochloride	BP 150 mg
Vitamin B1	BP 2 mg
Vitamin B2	BP 1 mg
(As Sodium Phosphate)	
Vitamin B6	BP 1 mg
Niacinamide	BP 7.5 mg
Zinc Sulphate heptahydrate	BP 7 mg
Manganese Sulphate	BP 0.8 mg

Appropriate overages added to compensate for loss on storage.



Indication: Allergy, Appetite Stimulant

200 ml

ROYAL SKIN TONER

Key Ingredients

Herbal Extracts of Aloe Vera,

Vitamin E, Glycerine & PEG6000



Indication: Toner

35 gm / 70 gm

BLOCCOLD

Paracetamol, Caffeine, Phenylephrine Hydrochloride and Chlorpheniramine Maleate tablets

Each uncoated tablet contains:

Paracetamol BP	500 mg
Caffeine (anhydrous) BP	30 mg
Phenylephrine HCl BP	10 mg
Chlorpheniramine maleate BP	2 mg
Excipients	q.s.
Colour: Erythrosine	

Indication: Nasal congestion, Sinusitis and other symptoms of cold.



1 x 4 x 25 Tablets

PINFED SR-20

Nifedipine Sustained Release Tablets 20mg

Each film coated sustained release tablet contains:

Nifedipine BP 20 mg
Excipients q.s.
Colour: Sunset Yellow FCF



10 x 10 Tablets

Indication: For the treatment of hypertension.

MENTHOLATUM

Medicated Balm

Composition

Menthol BP 1.35
Comphor BP 9.00
Methyl Salicylate BP 0.33
Eucalyplus Oil BP 0.08
Pumilio Pine Oil BP 0.08
Titanium Dioxide BP 0.06
Soft Paraffin BP
Butane 75 100.00

Denatured Ethanol
Levomenthol

Indication: medicated balm for colds,catarrh and dry skin.



30 gm

CARSTINE 2%

Carbocisteine Syrup 100 mg/5 ml

Each 5 ml Contains :

Carbocisteine BP 100 mg
Flavoured Syrupy base q.s.
Colour: Ponceau 4R



100 ml

Indication: mucolytic

CARSTINE 5%

Carbocisteine Syrup 250 mg/5 ml

Each 5 ml Contains :

Carbocisteine BP 250 mg
Flavoured Syrupy base q.s.
Colour: Ponceau 4R



100 ml

Indication: mucolytic

DEEP HEAT SPRAY

Composition:

Methyl nicotinate BP 1.6% w/w
2-Hydroxyethyl salicylate 5.0 %w/w
Methyl salicylate BP 1.0 % w/w
Ethyl Salicylate 5.0 % w/w
Excipients q.s.



150 ml

Indication: A fast acting pain-killing

DEEP HEAT RUB

Composition:

Menthol 5.91 % w/w
Eucalyptus oil 1.97 % w/w
Methyl Salicylate 12.80 % w/w
Turpentine oil 1.47 % w/w



15 gm / 35 gm / 67 gm / 100 gm

Indication: Joint and muscular pain relief.

DEEP FREEZE SPRAY

Composition:

Pentane
Butane 75
Denatured Ethanol
Levomenthol



200 ml

Indication: Cooling and pain-relieving

DEEP FREEZE GEL

Composition:

Racemic menthol 2% w/w



35 gm / 100 gm

Indication: Cooling and pain-relieving

DEEP RELIEF GEL

Composition:

Ibuprofen 5.0% w/w
Levomenthol 3.0% w/w



30 gm / 50 gm

Indication: Nonsteroidal anti-inflammatory drug, cooling and pain-relieving

NUTRACID

Dried aluminium hydroxide, magnesium hydroxide, simethicone & sodium alginate suspension

Each 5 ml contains :

Aluminium Hydroxide Paste Eq. to Dried Aluminium Hydroxide BP 125 mg
Magnesium Hydroxide Paste eq. to Magnesium Hydroxide BP 250 mg
Simethicone USP 50 mg
Sodium Alginate BP 100 mg
Flavoured Syrupy Base q.s.

Colour: Erythrosine
Indication: Antacid



200 ml

BUFRUN-200
Ibuprofen Tablets BP 200 mg
 Each Film Coated Tablet Contains:
 Ibuprofen BP 200 mg
 Flavoured Syrupy Base q.s.
 Colour: Sunset Yellow & Titanium Dioxide BP



1 x 10 Tablets

Indication: Reduce fever and treat pain or inflammation

BUFRUN-400
Ibuprofen Tablets BP 400 mg
 Each Film Coated Tablet Contains:
 Ibuprofen BP 400 mg
 Flavoured Syrupy Base q.s.
 Colour: Sunset Yellow & Titanium Dioxide BP



1 x 10 Tablets

Indication: Reduce fever and treat pain or inflammation

LISINOL-5
Lisinopril Tablets BP 5 mg
 Each uncoated tablet contains:
 Lisinopril Dihydrate BP
 Eq. to Anhydrous Lisinopril
 Excipients 5 mg q.s.



3 x 10 Tablets

Indication: Treating high blood pressure, heart failure

LISINOL-10
Lisinopril Tablets BP 10 mg
 Each uncoated tablet contains:
 Lisinopril Dihydrate BP
 Eq. to Anhydrous Lisinopril
 Excipients 10 mg q.s.



3 x 10 Tablets

Indication: Treating high blood pressure, heart failure

PROMIDE
Loperamide Capsules BP 2 mg
 Each hard gelatin capsule contains:
 Loperamide Hydrochloride BP 2 mg
 Excipients q.s.
 Approved Colours used in empty capsule shells.



1 x 10 Capsules

Indication: Diarrhea

LISINOL-20
Lisinopril Tablets BP 20 mg
 Each uncoated tablet contains:
 Lisinopril Dihydrate BP
 Eq. to Anhydrous Lisinopril
 Excipients 20 mg q.s.



3 x 10 Tablets

Indication: Treating high blood pressure, heart failure

CAFFIDOL
Acetaminophen and Caffeine Tablets USP
 Each uncoated tablet contains :
 Acetaminophen USP 650 mg
 Caffeine (Anhydrous) USP 30 mg
 Excipients q.s.
 Colour: Titanium Dioxide BP



1 x 10 Tablets

Indication: Pain reliever and a fever reducer

GEBEDICLO-P 50
Diclofenac Potassium Tablets USP 50 mg
 Each Film coated tablet contains:
 Diclofenac Potassium USP 50 mg
 Excipients q.s.
 Colour : Sunset Yellow



1 x 10 Tablets

Indication: Nonsteroidal anti-inflammatory

LEVOCIN 500
Levofloxacin Tablets USP 500 mg
 Levofloxacin Hemihydrate USP
 Eq. to Levofloxacin 500 mg
 Excipients q.s.
 Colour: Titanium Dioxide BP
 Colour: Erythrosine



3 x 10 Tablets

Indication: Bacterial infections of the skin, sinuses, kidneys, bladder or prostate

GEBEDICLO-P 100
Diclofenac Potassium Tablets USP 100 mg
 Each Film coated tablet contains:
 Diclofenac Potassium USP 100 mg
 Excipients q.s.
 Colour : Sunset Yellow



1 x 10 Tablets

Indication: Nonsteroidal anti-inflammatory

GEBEFIZZ

Soluble Paracetamol Tablets BP 500 mg

Each effervescent tablet contains:

Paracetamol	BP	500 mg
Excipients		q.s.



16 Effervescent Tablets

Indication: Analgesic and antipyretic

COTRIMET

Co-Trimoxazole Oral Suspension BP 240mg/5ml

Each 5 ml contains :

Trimethoprim BP	40 mg
Sulfamethoxazole BP	200 mg
Excipients	q.s.
Flavoured Base	
Colour: Tartrazine	



100 ml

Indication: Bacterial infections of middle ear, urine, respiratory and intestinal infections.

GEBENOL

Each tablet contains:

Acetylsalicylic acid BP	500mg
Caffeine BP	30mg



100 Tablets

Indication: Reduce fever and relieve pain

BLOKOF CHILD

Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride and Chlorpheniramine Maleate Oral Solution

Each 5 ml contains :

Dextromethorphan Hydrobromide USP	125 mg
Phenylephrine Hydrochloride USP	2.5 mg
Chlorpheniramine Maleate USP	1 mg
Flavoured Syrupy Base	q.s.
Colour: Ponceau 4R	



100 ml

Indication: Cough suppressant, relief in cold, flu, allergies or other breathing illnesses

ELECTROSOL

Oral Rehydration Salts BP

Each sachet contains:

Sodium Chloride BP	2.6 gm
Potassium Chloride BP	1.5 gm
Sodium Citrate BP	2.9 gm
Anhydrous Glucose BP	13.5 gm
Excipients	q.s.



25 x 20.6 gm Sachets

Indication: Oral rehydration therapy

BLOKOF BABY

Dilute Acetic Acid Cough Linctus

Each 5 ml contains :

Dilute Acetic Acid BP	125 mg
Flavoured Syrupy Base	q.s.
Colour: Erythrosine	



100 ml

Indication: Physical therapy using iontophoresis

MEBEDOL

Mebendazole Oral Suspension USP 100mg/5ml

Each 5 ml contains :

Mebendazole USP	100 mg
Flavoured Syrupy Base	q.s.
Colour: Quinoline Yellow	



30 ml

Indication: Intestinal worm infections such as pinworm, roundworm, and hookworm

BLOKOF ADULT

Dextromethorphan Hydrobromide & Guifenesin Syrup

Each 5 ml contains :

Dextromethorphan Hydrobromide BP	10 mg
Guaifenesin BP	2.5 mg
Flavoured Syrupy Base	q.s.
Colour: Tartrazine	



100 ml

Indication: Cough suppressant and expectorant

METROZ

Metronidazole Oral Suspension BP 200mg/5ml

Each 5 ml contains :

Metronidazole benzoate BP	200 mg
Equivalent to Metronidazole	qs
Excipients	qs
Flavoured base	
Colour: Tartrazine	



100 ml

Indication: Bacterial infections of the vagina, stomach, skin, joints, and respiratory tract.

BLOKOF FAMILY

Guaifenesin Oral Solution USP

Each 5 ml contains :

Guaifenesin USP	50 mg
Flavoured Syrupy Base	q.s.
Colour: Sunset Yellow	



150 ml

Indication: Decongestant and expectorant